ELSEVIER

Sensors and Actuators B 40 (1997) 243

SENSORS AND ACTUATORS B CHEMICAL

Author Index of Volume B 40

Aceves, M., 155
Al-Raweshidy, H.S., 59
Alba, M.B., 205
Amrein, M., 79
Aono, H., 7

Bender, F., 105
Bochu, B., 223
Brodská, S., 143
Brugman, A.M., 147

Cammann, K., 79
Caneiro, A., 223
Chandra, S., 99
Chang, Y.H., 39
Chen, H.-Y., 89
Chia, L.S., 135
Cho, J.S., 21
Choi, D., 21
Choi, G., 187
Choi, K.H., 39
Choi, W.K., 21
Clerc, D., 53
Colbow, K., 47
Colin, L., 117

Dahint, R., 105
Dhawan, S.K., 99
Dominguez, C., 147

Ehrhardt, J.-J., 117

Fabry, P., 223
Feng, C.-D., 211, 217
Feng, G., 111

Ge, H., 135
Goh, N.K., 135
Greve, J., 147
Grunze, M., 105
Gupta, V.K., 15

Hairetdinov, E.F., 95
Han, J.S., 183
Harteveld, J.L.N., 167
Haskard, M., 1
He, F.J., 183
Hernández, P.R., 155
Hitzmann, B., 71
Hwang, T., 187

Jain, A.K., 15
Jamois, D., 117
Johansson, M., 125
Josse, F., 105
Ju, H.-X., 89
Jung, H.-J., 21

Kashiwazaki, N., 237
Kato, Y., 33
Kautek, W., 231
Kawano, T., 29
Khireddine, H., 223
Khurana, U., 15
Kim, C.-S., 1
Kim, J.-D., 39
Kim, S.-R., 39
Kitora, M., 33
Koh, S.K., 21
Kooyman, R.P.H., 147
Kumar, D., 99

Lavrova, G.V., 95
Lechuga, L.M., 147
Lee, H.-S., 193, 199
Leija, L., 155
Li, J., 135
Liu, X.Q., 161
Loyd, D., 125
Lukosz, W., 53
Lundström, I., 125

Meimeth, F., 105
Meyer, J.-U., 175
Milella, E., 205
Mori, Y., 7
Muhammad, F.A., 59
Müller, C., 71

Neubauer, A., 231
Nieuwenhuizen, M.S., 167

Osorio, R., 155

Papež, V., 143
Pentzien, S., 231
Penza, M., 205
Ponomareva, V.G., 95
Pum, D., 231

Qian, Z., 65
Qu, B.D., 183
Qu, W., 175
Quirini, A., 205

Ram, M.K., 99
Reetz, S., 231
Reichelt, R., 79
Remolina, J., 155

Sadaoka, Y., 7
Scheper, T., 71
Schipper, E.F., 147
Schubert, F., 71
Segre, C., 211, 217
Senior, J.M., 59
Seo, H.-I., 1
Shen, Y.S., 161
Singh, L.P., 15
Singh, R.D., 15
Sleytr, U.B., 231
Sohn, B.-K., 1
Son, M.-T., 1
Song, S.K., 21
Sorita, R., 29
Stetter, J., 211, 217
Sugimoto, E., 7
Sui, S., 111
Sun, S.-L., 211, 217

Tan, S.N., 135
Tan, T.C., 65
Tao, S.W., 161
Trivedi, D.C., 99

Valdés, F., 155
Vasanelli, L., 205

Wang, H., 211, 217
Wang, S.S., 193, 199
Wittkampf, M., 79

Yamabayashi, A., 7
Yamana, M., 237
Yao, T., 183
Yeow, T., 1
Yoon, Y.S., 21
Yoshikawa, K., 33
Yu, A.B., 183

Zhang, C., 111
Zhang, J., 47
Zhou, D.-M., 89

Elsevier Science S.A.

ELSEVIER

Sensors and Actuators B 40 (1997) 245–248

SENSORS AND ACTUATORS B CHEMICAL

Subject Index of Volume B 40

Acoustic plate modes
mechanisms of interaction in acoustic plate mode immunosensors, 105
Acoustic wave-based sensors
mechanisms of interaction in acoustic plate mode immunosensors, 105
Adsorption kinectics
NO_2-sensing properties of octa (2-ethylhexyloxy) metallophathalocyanine LB films using quart-crystal microbalance, 39
Ammonia gas sensor
selective NH_3 gas sensor based on Langmuir-Blodgett polypyrrole film, 205
Amperometry
mediated amperometric glucose sensor modified by the sol–gel method, 135
Aqueous ammonia
application of conducting polyaniline as sensor material for ammonia, 99
Avidin-biotin affinity binding
direct immunosensing with an integrated-optical output grating coupler, 53

Bacillus subtillis
dead *Bacillus subtilis* cells for sensing biochemical oxygen demand of waters and wastewaters, 65
Back contacts
a new ISFET technology with back contacts using deep diffusions, 155
Barium chloride
potentiometric chlorine gas sensor using $BaCl_2$-KCl solid electrolyte: the influences of barium oxide contamination, 7
Barium oxide
potentiometric chlorine gas sensor using $BaCl_2$-KCl solid electrolyte: the influences of barium oxide contamination, 7
Biochemical oxygen demand
dead *Bacillus subtilis* cells for sensing biochemical oxygen demand of waters and wastewaters, 65
Biosensors
direct immunosensing with an integrated-optical output grating coupler, 53
optical chemo- and biosensors for use in clinical applications, 71
pulsed-laser metal contacting of biosensors on the basis of crystalline enzyme-protein layer composites, 231

Carbon monoxide sensors
a highly selective CO sensor using $LaMnO_3$ electrode-attached zirconia galvanic cell, 29
Catalytic oxidation of methane
poisoning of platinum surfaces by hexamethyldisiloxane (HMDS): application to catalytic methane sensors, 117
Catalytic surface
influence of mass transfer on the steady-state response of catalytic-metal-gate gas sensors, 125
Catalytic-metal-gate gas sensors
influence of mass transfer on the steady-state response of catalytic-metal-gate gas sensors, 125
Channel waveguides
the realization of an integrated Mach–Zehnder waveguide immunosensor in silicon technology, 147
Chlorine gas
potentiometric chlorine gas sensor using $BaCl_2$-KCl solid electrolyte: the influences of barium oxide contamination, 7
CO gas
gas sensitivity of Zn doped α-Fe_2O_3(SO_4^{2-}, Sn, Zn) to carbon monoxide, 183
Coating
studies on a surface acoustic wave (SAW) dosimeter sensor for organophosphorous nerve agents, 167
Composite materials
humidity sensing properties of Nafion and sol-gel derived SiO_2/Nafion composite thin films, 217
Correction of measurements
compensation for surface contamination with D-fibre sensor, 59
Crystalline protein membranes
pulsed-laser metal contacting of biosensors on the basis of crystalline enzyme-protein layer composites, 231

D-fibre methane gas sensors
compensation for surface contamination with D-fibre sensor, 59
Deep diffusion
a new ISFET technology with back contacts using deep diffusions, 155
Detergents
an electrochemical sensor for distinguishing two-stroke-engine oils, 199
Doping of Zn and Sn
gas sensitivity of Zn doped α-Fe_2O_3(SO_4^{2-}, Sn, Zn) to carbon monoxide, 183
Dosimeter
studies on a surface acoustic wave (SAW) dosimeter sensor for organophosphorous nerve agents, 167
Dual modulation
study on behaviour of QCM sensor in loading variation, 111
Dynamic response
temperature-dependent dynamic response enables the qualification and quantification of gases by a single sensor, 33

Electrical enzyme contact
pulsed-laser metal contacting of biosensors on the basis of crystalline enzyme-protein layer composites, 231
Electrochemical
an electrochemical sensor for distinguishing two-stroke-engine oils, 199

Elsevier Science S.A.

Electrochemical characterization
characterization of microelectrode arrays by means of electrochemical and surface analysis methods, 79
Electrode arrangement
a novel thick-film ceramic humidity sensor, 175
Electrodes
a highly selective CO sensor using $LaMnO_3$ electrode-attached zirconia galvanic cell, 29
Electrolysis of hydrogen peroxide
ISFET glucose sensor based on a new principle using the electrolysis of hydrogen peroxide, 1
Engine oil
an electrochemical sensor for distinguishing two-stroke-engine oils, 199
the application of a.c. impedance technique for detecting glycol contamination in engine oil, 193
Evanescent waves
the realization of an integrated Mach–Zehnder waveguide immunosensor in silicon technology, 147

α-Fe_2O_3
preparation and characterization of nanocrystalline α-Fe_2O_3 by a sol-gel process, 161
α-Fe_2O_3-based sensor
gas sensitivity of Zn doped α-$Fe_2O_3(SO_4^{2-}$, Sn, Zn) to carbon monoxide, 183
Ferrocene
mediated amperometric glucose sensor modified by the sol–gel method, 135
Ferrocene perchlorate
a miniaturized glucose biosensor based on the coimmobilization of glucose oxidase and ferrocene perchlorate in nafion at a microdisk platinum electrode, 89
Flow-injection analysis
optical chemo- and biosensors for use in clinical applications, 71

Gas sensitivity
gas sensitivity of Zn doped α-$Fe_2O_3(SO_4^{2-}$, Sn, Zn) to carbon monoxide, 183
Gas sensors
potentiometric chlorine gas sensor using $BaCl_2$-KCl solid electrolyte: the influences of barium oxide contamination, 7
Gas-sensing properties
preparation and characterization of nanocrystalline α-Fe_2O_3 by a sol-gel process, 161
Glucose
pulsed-laser metal contacting of biosensors on the basis of crystalline enzyme-protein layer composites, 231
Glucose oxidase
a miniaturized glucose biosensor based on the coimmobilization of glucose oxidase and ferrocene perchlorate in nafion at a microdisk platinum electrode, 89
Glucose sensors
ISFET glucose sensor based on a new principle using the electrolysis of hydrogen peroxide, 1
mediated amperometric glucose sensor modified by the sol–gel method, 135
Glycol
the application of a.c. impedance technique for detecting glycol contamination in engine oil, 193

Hexamethyldisiloxane
poisoning of platinum surfaces by hexamethyldisiloxane (HMDS): application to catalytic methane sensors, 117
Higher informational dimension
temperature-dependent dynamic response enables the qualification and quantification of gases by a single sensor, 33
Humidity
electrical characterization of porous $BaTiO_3$ using impedance spectroscopy in humid condition, 187
Humidity sensors
a novel thick-film ceramic humidity sensor, 175
comparison of conductometric humidity-sensing polymers, 211
humidity sensing properties of Nafion and sol-gel derived SiO_2/Nafion composite thin films, 217
Hydrogen detection
surface silver clusters as oxidation catalysts on semiconductor gas sensors, 47
Hydrogen sensors
hydrogen sensor based on antimonium pentoxide–phosphoric acid solid electrolyte, 95

Immunosensors
direct immunosensing with an integrated-optical output grating coupler, 53
mechanisms of interaction in acoustic plate mode immunosensors, 105
the realization of an integrated Mach–Zehnder waveguide immunosensor in silicon technology, 147
Impedance
the application of a.c. impedance technique for detecting glycol contamination in engine oil, 193
Impedance analysis
humidity sensing properties of Nafion and sol-gel derived SiO_2/Nafion composite thin films, 217
Impedance spectroscopy
electrical characterization of porous $BaTiO_3$ using impedance spectroscopy in humid condition, 187
Integrated-optical sensors
direct immunosensing with an integrated-optical output grating coupler, 53
Intelligent gas sensors
temperature-dependent dynamic response enables the qualification and quantification of gases by a single sensor, 33
Ion-selective electrodes
nickel(II)-selective sensors based on heterogeneous membranes of macrocyclic compounds, 15
optimization of NASICON composition for Na^+ recognition, 223
Ion-sensitive field-effect transistors
ISFET glucose sensor based on a new principle using the electrolysis of hydrogen peroxide, 1
a new ISFET technology with back contacts using deep diffusions, 155

$LaMnO_3$
a highly selective CO sensor using $LaMnO_3$ electrode-attached zirconia galvanic cell, 29
Langmuir-Blodgett (LB) films
NO_2-sensing properties of octa (2-ethylhexyloxy) metallophathalocyanine LB films using quart-crystal microbalance, 39
Langmuir-Blodgett technique
selective NH_3 gas sensor based on Langmuir-Blodgett polypyrrole film, 205
Lanthanum (III) complexes
studies on a surface acoustic wave (SAW) dosimeter sensor for organophosphorous nerve agents, 167

Laser-induced chemical-vapour polymerization (LID)
deposition of the chemically sensitive polymer layer on SGFET gate by laser-induced chemical-vapour polymerization, 143
Lead naphthalocyanine
effects of heat treatment on oxidative gas adsorption for lead naphthalocyanine thin films, 237
Liquid damping
study on behaviour of QCM sensor in loading variation, 111

Mach–Zehnder principle
the realization of an integrated Mach–Zehnder waveguide immunosensor in silicon technology, 147
Macrocycles
nickel(II)-selective sensors based on heterogeneous membranes of macrocyclic compounds, 15
Mass loading
study on behaviour of QCM sensor in loading variation, 111
Mass-transport processes
influence of mass transfer on the steady-state response of catalytic-metal-gate gas sensors, 125
Mathematical model
influence of mass transfer on the steady-state response of catalytic-metal-gate gas sensors, 125
Micelles
the application of a.c. impedance technique for detecting glycol contamination in engine oil, 193
Microelectrode
a miniaturized glucose biosensor based on the coimmobilization of glucose oxidase and ferrocene perchlorate in nafion at a microdisk platinum electrode, 89
Microelectrode arrays
characterization of microelectrode arrays by means of electrochemical and surface analysis methods, 79
Miniaturized biosensor
a miniaturized glucose biosensor based on the coimmobilization of glucose oxidase and ferrocene perchlorate in nafion at a microdisk platinum electrode, 89
Modified CMOS process
characterization of microelectrode arrays by means of electrochemical and surface analysis methods, 79

Nanocrystalline materials
preparation and characterization of nanocrystalline α-Fe_2O_3 by a sol-gel process, 161
NASICON membrane
optimization of NASICON composition for Na^+ recognition, 223
Nafion
a miniaturized glucose biosensor based on the coimmobilization of glucose oxidase and ferrocene perchlorate in nafion at a microdisk platinum electrode, 89
comparison of conductometric humidity-sensing polymers, 211
humidity sensing properties of Nafion and sol-gel derived SiO_2/Nafion composite thin films, 217
Nerve agent
studies on a surface acoustic wave (SAW) dosimeter sensor for organophosphorous nerve agents, 167
Neural networks
optical chemo- and biosensors for use in clinical applications, 71
Nickel sensors
nickel(II)-selective sensors based on heterogeneous membranes of macrocyclic compounds, 15
NO_2 gas sensor
NO_2-sensing properties of octa (2-ethylhexyloxy) metallophathalocyanine LB films using quart-crystal microbalance, 39

Optodes
optical chemo- and biosensors for use in clinical applications, 71
Oxidation catalysts
surface silver clusters as oxidation catalysts on semiconductor gas sensors, 47
Oxidative gas
effects of heat treatment on oxidative gas adsorption for lead naphthalocyanine thin films, 237

Phthalocyaninosilicon
comparison of conductometric humidity-sensing polymers, 211
Platinum electrode actuators
ISFET glucose sensor based on a new principle using the electrolysis of hydrogen peroxide, 1
Platinum methane sensors
poisoning of platinum surfaces by hexamethyldisiloxane (HMDS): application to catalytic methane sensors, 117
Poisoning
poisoning of platinum surfaces by hexamethyldisiloxane (HMDS): application to catalytic methane sensors, 117
Polarimetric reference scheme
compensation for surface contamination with D-fibre sensor, 59
Polyaniline
application of conducting polyaniline as sensor material for ammonia, 99
Polypyrrole thin film
selective NH_3 gas sensor based on Langmuir-Blodgett polypyrrole film, 205
Polyvinyl alcohol (PVA)
comparison of conductometric humidity-sensing polymers, 211
Porous $BaTiO_3$
electrical characterization of porous $BaTiO_3$ using impedance spectroscopy in humid condition, 187
Porous structure
a novel thick-film ceramic humidity sensor, 175
Pulsed laser deposition
pulsed-laser metal contacting of biosensors on the basis of crystalline enzyme-protein layer composites, 231

Quartz-crystal microbalance (QCM)
NO_2-sensing properties of octa (2-ethylhexyloxy) metallophathalocyanine LB films using quart-crystal microbalance, 39
study on behaviour of QCM sensor in loading variation, 111

Reactive ion-assisted deposition
H_2 gas-sensing characteristics of SnO_x sensors fabricated by a reactive ion-assisted deposition with/without an activator layer, 21
Response time
potentiometric chlorine gas sensor using $BaCl_2$-KCl solid electrolyte: the influences of barium oxide contamination, 7

S-layer
pulsed-laser metal contacting of biosensors on the basis of crystalline enzyme-protein layer composites, 231
SAW sensor
studies on a surface acoustic wave (SAW) dosimeter sensor for organophosphorous nerve agents, 167
Semiconductor gas sensors
surface silver clusters as oxidation catalysts on semiconductor gas sensors, 47
Sensors
an electrochemical sensor for distinguishing two-stroke-engine oils, 199
the application of a.c. impedance technique for detecting glycol contamination in engine oil, 193

Silicon thin-film technology
characterization of microelectrode arrays by means of electrochemical and surface analysis methods, 79
Silver clusters
surface silver clusters as oxidation catalysts on semiconductor gas sensors, 47
SnO_x sensors
H_2 gas-sensing characteristics of SnO_x sensors fabricated by a reactive ion-assisted deposition with/without an activator layer, 21
Sodium
optimization of NASICON composition for Na^+ recognition, 223
Sol-gel process
humidity sensing properties of Nafion and sol-gel derived SiO_2/Nafion composite thin films, 217
preparation and characterization of nanocrystalline α-Fe_2O_3 by a sol-gel process, 161
Solid electrolytes
potentiometric chlorine gas sensor using $BaCl_2$-KCl solid electrolyte: the influences of barium oxide contamination, 7
Solid protonic electrolyte $Sb_2O_5 \cdot H_2O$–H_3PO_4
hydrogen sensor based on antimonium pentoxide–phosphoric acid solid electrolyte, 95
Solid-state gas sensors
application of conducting polyaniline as sensor material for ammonia, 99
Sol–gel process
mediated amperometric glucose sensor modified by the sol–gel method, 135
Substituted metallophthalocyanines
NO_2-sensing properties of octa (2-ethylhexyloxy) metallophathalocyanine LB films using quart-crystal microbalance, 39
Surface analysis
characterization of microelectrode arrays by means of electrochemical and surface analysis methods, 79
Suspended-gate field-effect transistors
deposition of the chemically sensitive polymer layer on SGFET gate by laser-induced chemical-vapour polymerization, 143

Thick-film
a novel thick-film ceramic humidity sensor, 175
Thin films
effects of heat treatment on oxidative gas adsorption for lead naphthalocyanine thin films, 237
Two-stroke-engine
an electrochemical sensor for distinguishing two-stroke-engine oils, 199

Ultra-thin metal activator
H_2 gas-sensing characteristics of SnO_x sensors fabricated by a reactive ion-assisted deposition with/without an activator layer, 21

Water adsorption
a novel thick-film ceramic humidity sensor, 175
Water and wastewater
dead *Bacillus subtilis* cells for sensing biochemical oxygen demand of waters and wastewaters, 65

X-ray photoelectron spectroscopy
poisoning of platinum surfaces by hexamethyldisiloxane (HMDS): application to catalytic methane sensors, 117

YSZ
a highly selective CO sensor using $LaMnO_3$ electrode-attached zirconia galvanic cell, 29